

Please write clearly in block capitals.

Centre number

Candidate number

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

INTERNATIONAL A-LEVEL FURTHER MATHEMATICS

(9665/FM03) Unit FP2 Pure Mathematics

Tuesday 12 January 2021 07:00 GMT Time allowed: 2 hours 30 minutes

Materials

- For this paper you must have the Oxford International AQA Booklet of Formulae and Statistical Tables (enclosed).
- You may use a graphical calculator.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 120

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
TOTAL	



- 3 (a) By direct expansion, or otherwise, show that

$$\begin{vmatrix} 3 & -1 & 1 \\ 5 & k & 3 \\ k+2 & 1 & 2 \end{vmatrix} = k - k^2$$

[2 marks]

- 3 (b) A set of three planes is given by the system of equations

$$\begin{aligned} 3x - y + z &= 11 \\ 5x + ky + 3z &= k+9 \\ (k+2)x + y + 2z &= -2 \end{aligned}$$

where k is a real constant.

- 3 (b) (i) Determine the number of solutions of the given system of equations when $k = 1$

[3 marks]

Answer _____

- 3 (b) (ii) Hence give a geometrical interpretation of the significance of the result in part (b)(i) in relation to the three planes when $k = 1$

[1 mark]



5 The cubic equation

$$4z^3 + cz^2 + dz - 12 = 0$$

where c and d are real numbers, has complex roots α and β and a real root γ

It is given that $\alpha = 3 - \sqrt{3}i$

5 (a) (i) Write down the value of β

[1 mark]

$\beta =$ _____

5 (a) (ii) Find the value of γ

[2 marks]

$\gamma =$ _____

5 (a) (iii) Find the value of c and the value of d

[3 marks]

$c =$ _____ $d =$ _____



5 (b) (i) Express $3 - \sqrt{3}i$ in the form $re^{i\theta}$ where $r > 0$ and $-\pi < \theta \leq \pi$

[2 marks]

Answer _____

5 (b) (ii) Given that n is a positive integer, express $\alpha^n + \beta^n$ as a single trigonometric term.

[4 marks]

Answer _____

5 (b) (iii) Hence find the complete set of positive integer values of n for which

$$\alpha^n + \beta^n = 0$$

[2 marks]

Answer _____



6 (b) Using the results in **part (a)** show that

$$\sum_{r=1}^n \frac{r}{(r+1)(r+2)(r+3)} = \frac{n(n+a)}{b(n+c)(n+d)}$$

where a, b, c and d are integers.

[3 marks]



8 (b) The 3×3 matrix **A** represents a rotation through an angle of 90° about the z -axis.

Write down the matrix \mathbf{A}^{-1}

[2 marks]

Answer _____

8

Turn over for the next question

Turn over ►



- 9 (b) Hence, by expressing $\tan^{-1}\left(\frac{1+x}{1-x}\right)$ in terms of $\tan^{-1}x$ describe the single geometrical transformation by which the graph of

$$y = \tan^{-1}x \text{ where } x < 1$$

can be transformed onto the graph of

$$y = \tan^{-1}\left(\frac{1+x}{1-x}\right) \text{ where } x < 1$$

[4 marks]

7

Turn over for the next question

Turn over ►



11 The line L has equation

$$\left(\mathbf{r} - \begin{bmatrix} 1 \\ 0 \\ 2 \end{bmatrix} \right) \times \begin{bmatrix} 3 \\ -2 \\ 6 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

11 (a) Find the direction cosines of L

[3 marks]

Answer _____

11 (b) The plane Π has equation

$$\mathbf{r} \cdot \begin{bmatrix} 1 \\ 2 \\ -2 \end{bmatrix} = 37$$

The point A has coordinates $(-2, 2, -4)$

11 (b) (i) Verify that A lies on the line L but does not lie on the plane Π


[2 marks]



13 A curve C has equation $y = \sinh^{-1}x$

13 (a) Sketch the curve C on the axes below.

[2 marks]



13 (b) Prove that

$$\frac{dy}{dx} = (1+x^2)^{-\frac{1}{2}}$$

[3 marks]



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



